IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: Confirmation No.: 2864

Stephen P. Smith et al. Group Art Unit: 3634

Appln. No.: 10/791,645 Examiner: Johnson, Blair M.

Filed: 01 March 2004

Inventors:

CONTROL SYSTEM FOR ARCHITECTURAL COVERINGS WITH For: REVERSIBLE DRIVE AND SINGLE OPERATING ELEMENT

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

> SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Under 37 C.F.R. § 1.97(c)(2) and § 1.98)

Sir

The Examiner is requested to consider the references noted on the enclosed Form PTO/SB/08A during examination of the above-identified patent application. These references are submitted for the Examiner's consideration and are submitted pursuant to the duty of disclosure under 37 C.F.R. § 1.56. In submitting these references, no representation is made or implied that the references are or are not material to the examination of the application. The Examiner is encouraged to make his or her own determination of materiality. Pursuant to 37 C.F.R. § 1.98(a)(2)(ii), photocopies of the U.S. patent references are not provided. unless required by the Office. Photocopies of the foreign references are provided herewith.

The following foreign references are not in the English language:

- Japanese Utility Model Application No. 57-164973; (1)
- Japanese Examined Patent Publication No. 63-46224B; (2)
- Japanese Examined Utility Model Publication No. 5-9890Y; and (3)
- Japanese Unexamined Patent Publication No. 7-324572A. (4)

Therefore, in compliance with 37 C.F.R. § 1.98(a)(3)(i), a complete or partial English translation is attached to the references. Japanese Utility Model Application No. 57-164973 is a priority application to U.S. patent No. 4,662,423; therefore, a copy of this patent is attached, to satisfy the requirement for a concise explanation of relevance.

Application No. 10/791,645 Attorney Docket No. 2075/US/2

Pursuant to 37 C.F.R. § 1.97(c)(2), please charge \$180.00 to Deposit Account no. 04-1415. If any additional fees are deemed necessary, such fees may also be charged to Deposit Account No. 04-1415.

If the examiner has any questions, please contact the undersigned attorney.

Dated: May 8,200G

Respectfully submitted,

Gary M. Polumbus, Registration No. 2 DORSEY & WHITNEY LLP 370 Seventeenth Street, Suite 4700

Denver, CO 80202-5647 Tel.: (303) 629-3400 Fax: (303) 629-3450

USPTO Customer No. 20686

Enclosures